

20150




RONDELLES, EXÉCUTION BRUTE

RONDEN, ROH GESINTERT

SAW BLANKS, JUST SINTERED

H1S



D	d	e	REF	Boîte / Box	20150
10.5	2.7	0.8	10-3-0.8	50	•
10.5	2.7	1.1	10-3-1.1	50	•
10.5	2.7	1.3	10-3-1.3	50	•
10.5	2.7	2	10-3-2	50	•
10.5	2.7	2.8	10-3-2.8	30	•
10.5	2.7	3.3	10-3-3.3	30	•
10.5	2.7	4.3	10-3-4.3	20	•
15.5	4.7	0.8	15-5-0.8	50	•
15.5	4.7	1.1	15-5-1.1	50	•
15.5	4.7	1.3	15-5-1.3	50	•
15.5	4.7	1.5	15-5-1.5	40	•
15.5	4.7	1.8	15-5-1.8	40	•
15.5	4.7	2	15-5-2	40	•
15.5	4.7	2.3	15-5-2.3	30	•
15.5	4.7	2.8	15-5-2.8	30	•
15.5	4.7	3.3	15-5-3.3	25	•
15.5	4.7	3.8	15-5-3.8	20	•
15.5	4.7	4.3	15-5-4.3	20	•
15.5	4.7	5.3	15-5-5.3	20	•
15.5	4.7	6.3	15-5-6.3	20	•
20.5	4.7	0.8	20-5-0.8	50	•
20.5	4.7	1.1	20-5-1.1	50	•
20.5	4.7	1.3	20-5-1.3	40	•
20.5	4.7	1.5	20-5-1.5	40	•
20.5	4.7	1.8	20-5-1.8	40	•
20.5	4.7	2	20-5-2	30	•
20.5	4.7	2.3	20-5-2.3	30	•
20.5	4.7	2.8	20-5-2.8	20	•
20.5	4.7	3.3	20-5-3.3	20	•
20.5	4.7	3.8	20-5-3.8	20	•
20.5	4.7	4.3	20-5-4.3	20	•



20150


RONDELLES, EXÉCUTION BRUTE

RONDEN, ROH GESINTERT

SAW BLANKS, JUST SINTERED

ÉBAUCHES FRITTÉES • GESINTERTE ROHLINGE • SINTERED BLANKS

D	d	e	REF	Boîte / Box	20150
20.5	4.7	4.8	20-5-4.8	15	•
20.5	4.7	5.3	20-5-5.3	15	•
20.5	4.7	6.3	20-5-6.3	15	•
25.5	4.7	0.8	25-5-0.8	50	•
25.5	4.7	1.1	25-5-1.1	50	•
25.5	4.7	1.3	25-5-1.3	30	•
25.5	4.7	1.8	25-5-1.8	30	•
25.5	4.7	2.3	25-5-2.3	20	•
25.5	4.7	2.8	25-5-2.8	20	•
25.5	4.7	3.3	25-5-3.3	20	•
25.5	4.7	4.3	25-5-4.3	20	•
25.5	7.7	0.8	25-8-0.8	50	•
25.5	7.7	1.1	25-8-1.1	50	•
25.5	7.7	1.3	25-8-1.3	40	•
25.5	7.7	1.5	25-8-1.5	40	•
25.5	7.7	1.8	25-8-1.8	30	•
25.5	7.7	2	25-8-2	30	•
25.5	7.7	2.3	25-8-2.3	25	•
25.5	7.7	2.8	25-8-2.8	20	•
25.5	7.7	3.3	25-8-3.3	20	•
25.5	7.7	3.8	25-8-3.8	20	•
25.5	7.7	4.3	25-8-4.3	20	•
25.5	7.7	4.8	25-8-4.8	10	•
25.5	7.7	5.3	25-8-5.3	10	•
25.5	7.7	6.3	25-8-6.3	5	•
25.5	7.7	8.3	25-8-8.3	5	•
30.5	7.7	0.8	30-8-0.8	50	•
30.5	7.7	1.1	30-8-1.1	40	•
30.5	7.7	1.3	30-8-1.3	40	•
30.5	7.7	1.5	30-8-1.5	30	•
30.5	7.7	1.8	30-8-1.8	30	•
30.5	7.7	2	30-8-2	25	•
30.5	7.7	2.3	30-8-2.3	25	•
30.5	7.7	2.8	30-8-2.8	20	•
30.5	7.7	3.3	30-8-3.3	10	•
30.5	7.7	3.8	30-8-3.8	10	•



RONDELLE MD • VHM RONDEN • CARBIDE SAW BLANK


20150



RONDELLES, EXÉCUTION BRUTE

RONDEN, ROH GESINTERT

SAW BLANKS, JUST SINTERED



D	d	e	REF	Boîte / Box	20150
30.5	7.7	4.3	30-8-4.3	10	•
30.5	7.7	4.8	30-8-4.8	10	•
30.5	7.7	5.3	30-8-5.3	10	•
30.5	7.7	6.3	30-8-6.3	5	•
30.5	7.7	7.3	30-8-7.3	5	•
30.5	7.7	8.3	30-8-8.3	5	•
30.5	7.7	10.3	30-8-10.3	5	•
30.5	7.7	12.3	30-8-12.3	5	•
32.5	7.7	0.8	32-8-0.8	30	•
32.5	7.7	1.1	32-8-1.1	30	•
32.5	7.7	1.3	32-8-1.3	30	•
32.5	7.7	1.8	32-8-1.8	25	•
32.5	7.7	2	32-8-2	25	•
32.5	7.7	2.3	32-8-2.3	20	•
32.5	7.7	3.3	32-8-3.3	15	•
32.5	7.7	3.8	32-8-3.8	10	•
32.5	7.7	6.3	32-8-6.3	10	•
32.5	7.7	10.3	32-8-10.3	5	•
35.5	7.7	0.8	35-8-0.8	40	•
35.5	7.7	1.1	35-8-1.1	40	•
35.5	7.7	1.3	35-8-1.3	20	•
35.5	7.7	1.5	35-8-1.5	20	•
35.5	7.7	1.8	35-8-1.8	20	•
35.5	7.7	2.3	35-8-2.3	10	•
35.5	7.7	2.8	35-8-2.8	10	•
35.5	7.7	3.3	35-8-3.3	10	•
35.5	7.7	3.8	35-8-3.8	10	•
35.5	7.7	4.3	35-8-4.3	10	•
35.5	7.7	6.3	35-8-6.3	5	•
40.5	7.7	0.8	40-8-0.8	40	•
40.5	7.7	1.1	40-8-1.1	40	•
40.5	7.7	1.3	40-8-1.3	30	•
40.5	7.7	1.8	40-8-1.8	20	•
40.5	7.7	2	40-8-2	20	•
40.5	7.7	2.3	40-8-2.3	20	•
40.5	7.7	2.8	40-8-2.8	10	•



20150


RONDELLES, EXÉCUTION BRUTE

RONDEN, ROH GESINTERT

SAW BLANKS, JUST SINTERED

ÉBAUCHES FRITTÉES • GESINTERTE ROHLINGE • SINTERED BLANKS

D	d	e	REF	Boîte / Box	20150
40.5	7.7	3.3	40-8-3.3	10	•
40.5	7.7	4.3	40-8-4.3	10	•
40.5	7.7	5.3	40-8-5.3	5	•
40.5	7.7	6.3	40-8-6.3	5	•
40.5	9.7	0.8	40-10-0.8	40	•
40.5	9.7	1.1	40-10-1.1	40	•
40.5	9.7	1.3	40-10-1.3	30	•
40.5	9.7	1.5	40-10-1.5	30	•
40.5	9.7	1.8	40-10-1.8	25	•
40.5	9.7	2	40-10-2	25	•
40.5	9.7	2.3	40-10-2.3	20	•
40.5	9.7	2.8	40-10-2.8	20	•
40.5	9.7	3.3	40-10-3.3	10	•
40.5	9.7	3.8	40-10-3.8	10	•
40.5	9.7	4.3	40-10-4.3	10	•
40.5	9.7	4.8	40-10-4.8	10	•
40.5	9.7	5.3	40-10-5.3	5	•
40.5	9.7	6.3	40-10-6.3	5	•
40.5	9.7	7.3	40-10-7.3	5	•
40.5	9.7	8.3	40-10-8.3	5	•
40.5	9.7	10.3	40-10-10.3	3	•
40.5	9.7	12.3	40-10-12.3	3	•
45.5	7.7	0.8	45-8-0.8	40	•
45.5	7.7	1.1	45-8-1.1	40	•
45.5	7.7	1.8	45-8-1.8	30	•
45.5	7.7	2.3	45-8-2.3	20	•
45.5	7.7	2.8	45-8-2.8	20	•
45.5	7.7	3.3	45-8-3.3	10	•
45.5	7.7	4.3	45-8-4.3	10	•
45.5	9.7	0.8	45-10-0.8	40	•
45.5	9.7	1.1	45-10-1.1	40	•
45.5	9.7	1.8	45-10-1.8	30	•
45.5	9.7	2.3	45-10-2.3	20	•
45.5	9.7	2.8	45-10-2.8	20	•
45.5	9.7	3.3	45-10-3.3	10	•
45.5	9.7	4.3	45-10-4.3	10	•



RONDELLE MD • VHM RONDEN • CARBIDE SAW BLANK


20150



RONDELLES, EXÉCUTION BRUTE

RONDEN, ROH GESINTERT

SAW BLANKS, JUST SINTERED



D	d	e	REF	Boîte / Box	20150
50.5	9.7	0.8	50-10-0.8	40	•
50.5	9.7	1.1	50-10-1.1	40	•
50.5	9.7	1.3	50-10-1.3	30	•
50.5	9.7	1.5	50-10-1.5	30	•
50.5	9.7	1.8	50-10-1.8	20	•
50.5	9.7	2	50-10-2	20	•
50.5	9.7	2.3	50-10-2.3	20	•
50.5	9.7	2.8	50-10-2.8	10	•
50.5	9.7	3.3	50-10-3.3	10	•
50.5	9.7	4.3	50-10-4.3	10	•
50.5	9.7	4.8	50-10-4.8	5	•
50.5	9.7	5.3	50-10-5.3	5	•
50.5	9.7	6.3	50-10-6.3	5	•
50.5	12.7	0.8	50-13-0.8	40	•
50.5	12.7	1.1	50-13-1.1	40	•
50.5	12.7	1.3	50-13-1.3	30	•
50.5	12.7	1.5	50-13-1.5	30	•
50.5	12.7	1.8	50-13-1.8	20	•
50.5	12.7	2	50-13-2	20	•
50.5	12.7	2.3	50-13-2.3	20	•
50.5	12.7	2.8	50-13-2.8	10	•
50.5	12.7	3.3	50-13-3.3	10	•
50.5	12.7	3.8	50-13-3.8	10	•
50.5	12.7	4.3	50-13-4.3	5	•
50.5	12.7	4.8	50-13-4.8	5	•
50.5	12.7	5.3	50-13-5.3	5	•
50.5	12.7	6.3	50-13-6.3	5	•
50.5	12.7	7.3	50-13-7.3	4	•
50.5	12.7	8.3	50-13-8.3	4	•
50.5	12.7	10.3	50-13-10.3	4	•
50.5	12.7	12.3	50-13-12.3	4	•
63.5	7.7	0.8	63-8-0.8	40	•
63.5	7.7	1.1	63-8-1.1	40	•
63.5	7.7	1.3	63-8-1.3	30	•
63.5	7.7	1.5	63-8-1.5	30	•
63.5	7.7	1.8	63-8-1.8	25	•



20150


RONDELLES, EXÉCUTION BRUTE

RONDEN, ROH GESINTERT


SAW BLANKS, JUST SINTERED

ÉBAUCHES FRITTÉES • GESINTERTE ROHLINGE • SINTERED BLANKS

D	d	e	REF	Boîte / Box	20150
63.5	7.7	2	63-8-2	25	•
63.5	7.7	2.3	63-8-2.3	25	•
63.5	7.7	2.8	63-8-2.8	10	•
63.5	7.7	3.3	63-8-3.3	10	•
63.5	7.7	3.8	63-8-3.8	10	•
63.5	7.7	4.3	63-8-4.3	10	•
63.5	7.7	5.3	63-8-5.3	10	•
63.5	7.7	6.3	63-8-6.3	4	•
63.5	7.7	8.3	63-8-8.3	4	•
63.5	15.7	0.8	63-16-0.8	4	•
63.5	15.7	1.1	63-16-1.1	40	•
63.5	15.7	1.3	63-16-1.3	30	•
63.5	15.7	1.5	63-16-1.5	30	•
63.5	15.7	1.8	63-16-1.8	25	•
63.5	15.7	2	63-16-2	25	•
63.5	15.7	2.3	63-16-2.3	25	•
63.5	15.7	2.8	63-16-2.8	10	•
63.5	15.7	3.3	63-16-3.3	10	•
63.5	15.7	3.8	63-16-3.8	10	•
63.5	15.7	4.3	63-16-4.3	10	•
63.5	15.7	4.8	63-16-4.8	10	•
63.5	15.7	5.3	63-16-5.3	10	•
63.5	15.7	6.3	63-16-6.3	4	•
63.5	15.7	7.3	63-16-7.3	4	•
63.5	15.7	8.3	63-16-8.3	4	•
63.5	15.7	10.3	63-16-10.3	2	•
63.5	15.7	12.3	63-16-12.3	2	•
80.5	15.7	0.8	80-16-0.8	15	•
80.5	15.7	1.1	80-16-1.1	10	•
80.5	15.7	1.3	80-16-1.3	10	•
80.5	15.7	1.5	80-16-1.5	10	•
80.5	15.7	1.8	80-16-1.8	10	•
80.5	15.7	2	80-16-2	8	•
80.5	15.7	2.3	80-16-2.3	5	•
80.5	15.7	2.8	80-16-2.8	5	•
80.5	15.7	3.3	80-16-3.3	3	•



RONDELLE MD • VHM RONDEN • CARBIDE SAW BLANK



D	d	e	REF	Boîte / Box	20150
80.5	15.7	3.8	80-16-3.8	2	•
80.5	15.7	4.3	80-16-4.3	2	•
80.5	15.7	5.3	80-16-5.3	2	•
80.5	15.7	6.3	80-16-6.3	2	•
80.5	21.7	0.8	80-22-0.8	15	•
80.5	21.7	1.1	80-22-1.1	10	•
80.5	21.7	1.3	80-22-1.3	10	•
80.5	21.7	1.5	80-22-1.5	10	•
80.5	21.7	1.8	80-22-1.8	10	•
80.5	21.7	2	80-22-2	8	•
80.5	21.7	2.3	80-22-2.3	5	•
80.5	21.7	2.8	80-22-2.8	5	•
80.5	21.7	3.3	80-22-3.3	3	•
80.5	21.7	3.8	80-22-3.8	2	•
80.5	21.7	4.3	80-22-4.3	2	•
80.5	21.7	5.3	80-22-5.3	2	•
80.5	21.7	6.3	80-22-6.3	2	•
100.5	21.7	0.8	100-22-0.8	15	•
100.5	21.7	1.1	100-22-1.1	10	•
100.5	21.7	1.3	100-22-1.3	10	•
100.5	21.7	1.5	100-22-1.5	10	•
100.5	21.7	1.8	100-22-1.8	10	•
100.5	21.7	2	100-22-2	8	•
100.5	21.7	2.3	100-22-2.3	5	•
100.5	21.7	2.8	100-22-2.8	5	•
100.5	21.7	3.3	100-22-3.3	3	•
100.5	21.7	3.8	100-22-3.8	2	•
100.5	21.7	4.3	100-22-4.3	2	•
100.5	21.7	5.3	100-22-5.3	2	•
100.5	21.7	6.3	100-22-6.3	2	•