

48351



MICRO-FORET Z2 ~ 6 * D

MIKROBOHRER Z2 ~ 6 * D


MICRO DRILL BIT Z2 ~ 6 * D

E25
UF

 $\lambda = 35^\circ$


Compatibilité outil/matière • Werkzeug - /Werkstoffverträglichkeit • Tool/material compatibility: ● 1/3 ● 2/3 ● 3/3

	1a	1b	1c	1d	2a	2b	2c	3a	3b	4a	4b	5	6a	6b	7a	7b	8a	8b	9a	9b	10a	10b	10c	11a	11b	12a	12b	13a	13b
► EZI-SMOOTH	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●



D	d	L	l2	l3	REF
0 / - 0.004	h5				
0.20	3	38	1.50	1.80	0.20
0.21	3	38	1.50	1.80	0.21
0.22	3	38	1.50	1.80	0.22
0.23	3	38	1.50	1.80	0.23
0.24	3	38	1.50	1.80	0.24
0.25	3	38	1.80	2.20	0.25
0.26	3	38	1.80	2.20	0.26
0.27	3	38	1.80	2.20	0.27
0.28	3	38	1.80	2.20	0.28
0.29	3	38	1.80	2.20	0.29
0.30	3	38	1.90	2.40	0.30
0.31	3	38	1.90	2.40	0.31
0.32	3	38	1.90	2.40	0.32
0.33	3	38	1.90	2.40	0.33
0.34	3	38	1.90	2.40	0.34
0.35	3	38	2.20	2.80	0.35
0.36	3	38	2.20	2.80	0.36
0.37	3	38	2.20	2.80	0.37
0.38	3	38	2.20	2.80	0.38
0.39	3	38	2.70	3.60	0.39
0.40	3	38	2.70	3.60	0.40
0.41	3	38	2.70	3.60	0.41
0.42	3	38	2.70	3.60	0.42
0.43	3	38	2.70	3.60	0.43
0.44	3	38	2.70	3.60	0.44

EZI - SMOOTH

48351S

MICRO-FORET Z2 ~ 6 * D


MIKROBOHRER Z2 ~ 6 * D

MICRO DRILL BIT Z2 ~ 6 * D

D	d	L	l2	l3	REF
0 / - 0.004	h5				
0.45	3	38	2.70	3.60	0.45
0.46	3	38	2.70	3.60	0.46
0.47	3	38	2.70	3.60	0.47
0.48	3	38	2.70	3.60	0.48
0.49	3	38	3.20	4	0.49
0.50	3	38	3.20	4	0.50
0.51	3	38	3.20	4	0.51
0.52	3	38	3.20	4	0.52
0.53	3	38	3.20	4	0.53
0.54	3	38	3.60	4.50	0.54
0.55	3	38	3.60	4.50	0.55
0.56	3	38	3.60	4.50	0.56
0.57	3	38	3.60	4.50	0.57
0.58	3	38	3.60	4.50	0.58
0.59	3	38	3.60	4.50	0.59
0.60	3	38	3.60	4.50	0.60
0.61	3	38	3.90	5	0.61
0.62	3	38	3.90	5	0.62
0.63	3	38	3.90	5	0.63
0.64	3	38	3.90	5	0.64
0.65	3	38	3.90	5	0.65
0.66	3	38	3.90	5	0.66
0.67	3	38	3.90	5	0.67
0.68	3	38	4.50	5.60	0.68
0.69	3	38	4.50	5.60	0.69
0.70	3	38	4.50	5.60	0.70
0.71	3	38	4.50	5.60	0.71
0.72	3	38	4.50	5.60	0.72
0.73	3	38	4.50	5.60	0.73
0.74	3	38	4.50	5.60	0.74
0.75	3	38	4.50	5.60	0.75
0.76	3	38	5	6.30	0.76
0.77	3	38	5	6.30	0.77
0.78	3	38	5	6.30	0.78
0.79	3	38	5	6.30	0.79
0.80	3	38	5	6.30	0.80
0.81	3	38	5	6.30	0.81

EZI - SMOOTH

48351S



PERÇAGE - ALÉSAGE - FILETAGE - CHANFREINAGE • BOHREN REIBEN - GEWINDE - FASEN • DRILLING - BORING - THREAD - CHAMFERING

MICROFORET • MIKRO-BOHRER • MICRO DRILLBIT


48351



MICRO-FORET Z2 ~ 6 * D

MIKROBOHRER Z2 ~ 6 * D

MICRO DRILL BIT Z2 ~ 6 * D



D	d	L	l2	l3	REF
0 / - 0.004	h5				
0.82	3	38	5	6.30	0.82
0.83	3	38	5	6.30	0.83
0.84	3	38	5	6.30	0.84
0.85	3	38	5	6.30	0.85
0.86	3	38	5.70	7.10	0.86
0.87	3	38	5.70	7.10	0.87
0.88	3	38	5.70	7.10	0.88
0.89	3	38	5.70	7.10	0.89
0.90	3	38	5.70	7.10	0.90
0.91	3	38	5.70	7.10	0.91
0.92	3	38	5.70	7.10	0.92
0.93	3	38	5.70	7.10	0.93
0.94	3	38	5.70	7.10	0.94
0.95	3	38	5.70	7.10	0.95
0.96	3	38	6.50	8	0.96
0.97	3	38	6.50	8	0.97
0.98	3	38	6.50	8	0.98
0.99	3	38	6.50	8	0.99
1.00	3	38	6.50	8	1.00
1.01	3	38	6.50	8	1.01
1.02	3	38	6.50	8	1.02
1.03	3	38	6.50	8	1.03
1.04	3	38	6.50	8	1.04
1.05	3	38	6.50	8	1.05
1.06	3	38	7.30	9	1.06
1.07	3	38	7.30	9	1.07
1.08	3	38	7.30	9	1.08
1.09	3	38	7.30	9	1.09
1.10	3	38	7.30	9	1.10
1.11	3	38	7.30	9	1.11
1.12	3	38	7.30	9	1.12
1.13	3	38	7.30	9	1.13
1.14	3	38	7.30	9	1.14
1.15	3	38	7.30	9	1.15
1.16	3	38	8.20	10	1.16
1.17	3	38	8.20	10	1.17
1.18	3	38	8.20	10	1.18

EZI - SMOOTH

48351S



48351

MICRO-FORET Z2 ~ 6 * D


MIKROBOHRER Z2 ~ 6 * D

MICRO DRILL BIT Z2 ~ 6 * D

D	d	L	l2	l3	REF
0 / - 0.004	h5				
1.19	3	38	8.20	10	1.19
1.20	3	38	8.20	10	1.20
1.21	3	38	8.20	10	1.21
1.22	3	38	8.20	10	1.22
1.23	3	38	8.20	10	1.23
1.24	3	38	8.20	10	1.24
1.25	3	38	8.20	10	1.25
1.26	3	38	8.20	10	1.26
1.27	3	38	8.20	10	1.27
1.28	3	38	8.20	10	1.28
1.29	3	38	8.20	10	1.29
1.30	3	38	8.20	10	1.30
1.31	3	38	9.20	11.20	1.31
1.32	3	38	9.20	11.20	1.32
1.33	3	38	9.20	11.20	1.33
1.34	3	38	9.20	11.20	1.34
1.35	3	38	9.20	11.20	1.35
1.36	3	38	9.20	11.20	1.36
1.37	3	38	9.20	11.20	1.37
1.38	3	38	9.20	11.20	1.38
1.39	3	38	9.20	11.20	1.39
1.40	3	38	9.20	11.20	1.40
1.41	3	38	9.20	11.20	1.41
1.42	3	38	9.20	11.20	1.42
1.43	3	38	9.20	11.20	1.43
1.44	3	38	9.20	11.20	1.44
1.45	3	38	9.20	11.20	1.45
1.46	3	38	9.20	11.20	1.46
1.47	3	38	9.20	11.20	1.47
1.48	3	38	9.20	11.20	1.48
1.49	3	38	9.20	11.20	1.49
1.50	3	38	9.20	11.20	1.50
1.51	3	38	11.20	13.40	1.51
1.52	3	38	11.20	13.40	1.52
1.53	3	38	11.20	13.40	1.53
1.54	3	38	11.20	13.40	1.54
1.55	3	38	11.20	13.40	1.55

EZI - SMOOTH

48351S



PERÇAGE - ALÉSAGE - FILETAGE - CHANFREINAGE • BOHREN REIBEN - GEWINDE - FASEN • DRILLING - BORING - THREAD - CHAMFERING

MICROFORET • MIKRO-BOHRER • MICRO DRILLBIT


48351



MICRO-FORET Z2 ~ 6 * D

MIKROBOHRER Z2 ~ 6 * D

MICRO DRILL BIT Z2 ~ 6 * D



D	d	L	l2	l3	REF
0 / - 0.004	h5				
1.56	3	38	11.20	13.40	1.56
1.57	3	38	11.20	13.40	1.57
1.58	3	38	11.20	13.40	1.58
1.59	3	38	11.20	13.40	1.59
1.60	3	38	11.20	13.40	1.60
1.61	3	38	11.20	13.40	1.61
1.62	3	38	11.20	13.40	1.62
1.63	3	38	11.20	13.40	1.63
1.64	3	38	11.20	13.40	1.64
1.65	3	38	11.20	13.40	1.65
1.66	3	38	11.20	13.40	1.66
1.67	3	38	11.20	13.40	1.67
1.68	3	38	11.20	13.40	1.68
1.69	3	38	11.20	13.40	1.69
1.70	3	38	11.20	13.40	1.70
1.71	3	38	11.20	13.40	1.71
1.72	3	38	11.20	13.40	1.72
1.73	3	38	11.20	13.40	1.73
1.74	3	38	11.20	13.40	1.74
1.75	3	38	11.20	13.40	1.75
1.76	3	38	11.20	13.40	1.76
1.77	3	38	11.20	13.40	1.77
1.78	3	38	11.20	13.40	1.78
1.79	3	38	11.20	13.40	1.79
1.80	3	38	11.20	13.40	1.80
1.81	3	38	11.20	13.40	1.81
1.82	3	38	11.20	13.40	1.82
1.83	3	38	11.20	13.40	1.83
1.84	3	38	11.20	13.40	1.84
1.85	3	38	11.20	13.40	1.85
1.86	3	38	11.20	13.40	1.86
1.87	3	38	11.20	13.40	1.87
1.88	3	38	11.20	13.40	1.88
1.89	3	38	11.20	13.40	1.89
1.90	3	38	11.20	13.40	1.90
1.91	3	38	11.20	13.40	1.91
1.92	3	38	11.20	13.40	1.92

EZI - SMOOTH

48351S

MICRO-FORET Z2 ~ 6 * D


MIKROBOHRER Z2 ~ 6 * D

MICRO DRILL BIT Z2 ~ 6 * D

D	d	L	l2	l3	REF
0 / - 0.004	h5				
1.93	3	38	11.20	13.40	1.93
1.94	3	38	11.20	13.40	1.94
1.95	3	38	11.20	13.40	1.95
1.96	3	38	11.20	13.40	1.96
1.97	3	38	11.20	13.40	1.97
1.98	3	38	11.20	13.40	1.98
1.99	3	38	11.20	13.40	1.99
2.00	3	38	11.20	13.40	2.00
2.01	3	38	12.50	14	2.01
2.02	3	38	12.50	14	2.02
2.03	3	38	12.50	14	2.03
2.04	3	38	12.50	14	2.04
2.05	3	38	12.50	14	2.05
2.06	3	38	12.50	14	2.06
2.07	3	38	12.50	14	2.07
2.08	3	38	12.50	14	2.08
2.09	3	38	12.50	14	2.09
2.10	3	38	12.50	14	2.10
2.11	3	38	12.50	14	2.11
2.12	3	38	12.50	14	2.12
2.13	3	38	12.50	14	2.13
2.14	3	38	12.50	14	2.14
2.15	3	38	12.50	14	2.15
2.16	3	38	12.50	14	2.16
2.17	3	38	12.50	14	2.17
2.18	3	38	12.50	14	2.18
2.19	3	38	12.50	14	2.19
2.20	3	38	12.50	14	2.20
2.21	3	38	12.50	14	2.21
2.22	3	38	12.50	14	2.22
2.23	3	38	12.50	14	2.23
2.24	3	38	12.50	14	2.24
2.25	3	38	12.50	14	2.25
2.26	3	38	12.50	14	2.26
2.27	3	38	12.50	14	2.27
2.28	3	38	12.50	14	2.28
2.29	3	38	12.50	14	2.29

EZI - SMOOTH

48351S



PERÇAGE - ALÉSAGE - FILETAGE - CHANFREINAGE • BOHREN REIBEN - GEWINDE - FASEN • DRILLING - BORING - THREAD - CHAMFERING

MICROFORET • MIKRO-BOHRER • MICRO DRILLBIT

E-SHOP



EZI CUT

M|CRO DR|LL B|T Z2 ~ 6 * D



- 174 -

MICRO-FORET Z2 ~ 6 * D


MIKROBOHRER Z2 ~ 6 * D

MICRO DRILL BIT Z2 ~ 6 * D

D	d	L	l2	l3	REF
0 / - 0.004	h5				
2.67	3	38	14	17	2.67
2.68	3	38	14	17	2.68
2.69	3	38	14	17	2.69
2.70	3	38	14	17	2.70
2.71	3	38	14	17	2.71
2.72	3	38	14	17	2.72
2.73	3	38	14	17	2.73
2.74	3	38	14	17	2.74
2.75	3	38	14	17	2.75
2.76	3	38	14	17	2.76
2.77	3	38	14	17	2.77
2.78	3	38	14	17	2.78
2.79	3	38	14	17	2.79
2.80	3	38	14	17	2.80
2.81	3	38	14	17	2.81
2.82	3	38	14	17	2.82
2.83	3	38	14	17	2.83
2.84	3	38	14	17	2.84
2.85	3	38	14	17	2.85
2.86	3	38	14	17	2.86
2.87	3	38	14	17	2.87
2.88	3	38	14	17	2.88
2.89	3	38	14	17	2.89
2.90	3	38	14	17	2.90
2.91	3	38	14	17	2.91
2.92	3	38	14	17	2.92
2.93	3	38	14	17	2.93
2.94	3	38	14	17	2.94
2.95	3	38	14	17	2.95
2.96	3	38	14	17	2.96
2.97	3	38	14	17	2.97
2.98	3	38	14	17	2.98
2.99	3	38	14	17	2.99
3.00	3	38	14	17	3.00

EZI - SMOOTH

48351S



PERÇAGE - ALÉSAGE - FILETAGE - CHANFREINAGE • BOHREN REIBEN - GEWINDE - FASEN • DRILLING - BORING - THREAD - CHAMFERING

MICROFORET • MIKRO-BOHRER • MICRO DRILLBIT