

48401




MICRO-FORET Z2 ~ 12 * D

MIKROBOHRER Z2 ~ 12 * D

MICRO DRILL BIT Z2 ~ 12 * D



Compatibilité outil/matière • Werkzeug - /Werkstoffverträglichkeit • Tool/material compatibility: ● 1/3 ● 2/3 ● 3/3



D	d	L	l2	l3	REF	EZI - SMOOTH 48401S
0 / - 0.004	h5					
0.20	3	38	2.40	3.50	0.20	•
0.21	3	38	2.50	3.50	0.21	•
0.22	3	38	2.70	3.50	0.22	•
0.23	3	38	2.80	3.50	0.23	•
0.24	3	38	2.90	4	0.24	•
0.25	3	38	3	4	0.25	•
0.26	3	38	3.10	4	0.26	•
0.27	3	38	3.30	4	0.27	•
0.28	3	38	3.40	4.50	0.28	•
0.29	3	38	3.50	4.50	0.29	•
0.30	3	38	3.60	4.50	0.30	•
0.31	3	38	3.70	4.50	0.31	•
0.32	3	38	3.90	5	0.32	•
0.33	3	38	4	5	0.33	•
0.34	3	38	4.10	5	0.34	•
0.35	3	38	4.20	5	0.35	•
0.36	3	38	4.30	5.50	0.36	•
0.37	3	38	4.50	5.50	0.37	•
0.38	3	38	4.60	5.50	0.38	•
0.39	3	38	4.70	5.50	0.39	•
0.40	3	38	4.80	6	0.40	•
0.41	3	38	4.90	6	0.41	•
0.42	3	38	5.10	6	0.42	•
0.43	3	38	5.20	6	0.43	•
0.44	3	38	5.30	6.50	0.44	•
0.45	3	38	5.40	6.50	0.45	•



MICRO-FORET Z2 ~ 12 * D

MIKROBOHRER Z2 ~ 12 * D


MICRO DRILL BIT Z2 ~ 12 * D

D	d	L	I2	I3	REF
0 /- 0.004	h5				
0.46	3	38	5.50	6.50	0.46
0.47	3	38	5.70	6.50	0.47
0.48	3	38	5.80	7	0.48
0.49	3	38	5.90	7	0.49
0.50	3	38	6	7	0.50
0.51	3	38	6.10	7	0.51
0.52	3	38	6.30	7.50	0.52
0.53	3	38	6.40	7.50	0.53
0.54	3	38	6.50	7.50	0.54
0.55	3	38	6.60	7.50	0.55
0.56	3	38	6.70	8	0.56
0.57	3	38	6.90	8	0.57
0.58	3	38	7	8	0.58
0.59	3	38	7.10	8	0.59
0.60	3	38	7.20	9	0.60
0.61	3	38	7.30	9	0.61
0.62	3	38	7.50	9	0.62
0.63	3	38	7.60	9	0.63
0.64	3	38	7.70	9.50	0.64
0.65	3	38	7.80	9.50	0.65
0.66	3	38	7.90	9.50	0.66
0.67	3	38	8.10	9.50	0.67
0.68	3	38	8.20	10	0.68
0.69	3	38	8.30	10	0.69
0.70	3	38	8.40	10	0.70
0.71	3	38	8.50	10	0.71
0.72	3	38	8.70	10.50	0.72
0.73	3	38	8.80	10.50	0.73
0.74	3	38	8.90	10.50	0.74
0.75	3	38	9	10.50	0.75
0.76	3	38	9.10	11	0.76
0.77	3	38	9.30	11	0.77
0.78	3	38	9.40	11	0.78
0.79	3	38	9.50	11	0.79
0.80	3	38	9.60	11.50	0.80
0.81	3	38	9.70	11.50	0.81
0.82	3	38	9.90	11.50	0.82



EZI - SMOOTH

48401S




48401



MICRO-FORET Z2 ~ 12 * D

MIKROBOHRER Z2 ~ 12 * D

MICRO DRILL BIT Z2 ~ 12 * D



D	d	L	l2	l3	REF
0 / - 0.004	h5				
0.83	3	38	10	11.50	0.83
0.84	3	38	10.10	12	0.84
0.85	3	38	10.20	12	0.85
0.86	3	38	10.30	12	0.86
0.87	3	38	10.50	12	0.87
0.88	3	38	10.60	12.50	0.88
0.89	3	38	10.70	12.50	0.89
0.90	3	38	10.80	12.50	0.90
0.91	3	38	10.90	12.50	0.91
0.92	3	38	11.10	13	0.92
0.93	3	38	11.20	13	0.93
0.94	3	38	11.30	13	0.94
0.95	3	38	11.40	13	0.95
0.96	3	38	11.50	13.50	0.96
0.97	3	38	11.70	13.50	0.97
0.98	3	38	11.80	13.50	0.98
0.99	3	38	11.90	13.50	0.99
1.00	3	38	12	14.50	1.00
1.01	3	38	12.10	14.50	1.01
1.02	3	38	12.30	14.50	1.02
1.03	3	38	12.40	14.50	1.03
1.04	3	38	12.50	15	1.04
1.05	3	38	12.60	15	1.05
1.06	3	38	12.70	15	1.06
1.07	3	38	12.90	15	1.07
1.08	3	38	13	15.50	1.08
1.09	3	38	13.10	15.50	1.09
1.10	3	38	13.20	15.50	1.10
1.11	3	38	13.30	15.50	1.11
1.12	3	38	13.50	16	1.12
1.13	3	38	13.60	16	1.13
1.14	3	38	13.70	16	1.14
1.15	3	38	13.80	16	1.15
1.16	3	38	13.90	16.50	1.16
1.17	3	38	14.10	16.50	1.17
1.18	3	38	14.20	16.50	1.18
1.19	3	38	14.30	16.50	1.19



48401S



MICRO-FORET Z2 ~ 12 * D

MIKROBOHRER Z2 ~ 12 * D


MICRO DRILL BIT Z2 ~ 12 * D

D	d	L	l2	l3	REF
0 /- 0.004	h5				
1.20	3	38	14.40	17	1.20
1.21	3	38	14.50	17	1.21
1.22	3	38	14.70	17	1.22
1.23	3	38	14.80	17	1.23
1.24	3	38	14.90	17.50	1.24
1.25	3	38	15	17.50	1.25
1.26	3	50	15.10	17.50	1.26
1.27	3	50	15.30	17.50	1.27
1.28	3	50	15.40	18	1.28
1.29	3	50	15.50	18	1.29
1.30	3	50	15.60	18	1.30
1.31	3	50	15.70	18	1.31
1.32	3	50	15.90	18.50	1.32
1.33	3	50	16	18.50	1.33
1.34	3	50	16.10	18.50	1.34
1.35	3	50	16.20	18.50	1.35
1.36	3	50	16.30	19	1.36
1.37	3	50	16.50	19	1.37
1.38	3	50	16.60	19	1.38
1.39	3	50	16.70	19	1.39
1.40	3	50	16.80	19.50	1.40
1.41	3	50	16.90	19.50	1.41
1.42	3	50	17.10	19.50	1.42
1.43	3	50	17.20	19.50	1.43
1.44	3	50	17.30	20	1.44
1.45	3	50	17.40	20	1.45
1.46	3	50	17.50	20	1.46
1.47	3	50	17.70	20	1.47
1.48	3	50	17.80	20.50	1.48
1.49	3	50	17.90	20.50	1.49
1.50	3	50	18	21	1.50
1.51	3	50	18.10	21	1.51
1.52	3	50	18.30	21	1.52
1.53	3	50	18.40	21	1.53
1.54	3	50	18.50	21.50	1.54
1.55	3	50	18.60	21.50	1.55
1.56	3	50	18.70	21.50	1.56



EZI - SMOOTH

48401S




48401



MICRO-FORET Z2 ~ 12 * D

MIKROBOHRER Z2 ~ 12 * D

MICRO DRILL BIT Z2 ~ 12 * D



D	d	L	l2	l3	REF	48401S
0 /- 0.004	h5					
1.57	3	50	18.90	21.50	1.57	.
1.58	3	50	19	22	1.58	.
1.59	3	50	19.10	22	1.59	.
1.60	3	50	19.20	22	1.60	.
1.61	3	50	19.30	22	1.61	.
1.62	3	50	19.40	22.50	1.62	.
1.63	3	50	19.60	22.50	1.63	.
1.64	3	50	19.70	22.50	1.64	.
1.65	3	50	19.80	22.50	1.65	.
1.66	3	50	19.90	23	1.66	.
1.67	3	50	20.10	23	1.67	.
1.68	3	50	20.20	23	1.68	.
1.69	3	50	20.30	23	1.69	.
1.70	3	50	20.40	23.50	1.70	.
1.71	3	50	20.50	23.50	1.71	.
1.72	3	50	20.70	23.50	1.72	.
1.73	3	50	20.80	23.50	1.73	.
1.74	3	50	20.90	24	1.74	.
1.75	3	50	21	24	1.75	.
1.76	3	50	21.10	24	1.76	.
1.77	3	50	21.30	24	1.77	.
1.78	3	50	21.40	24.50	1.78	.
1.79	3	50	21.50	24.50	1.79	.
1.80	3	50	21.60	25	1.80	.
1.81	3	50	21.70	25	1.81	.
1.82	3	50	21.90	25	1.82	.
1.83	3	50	22	25	1.83	.
1.84	3	50	22.10	25.50	1.84	.
1.85	3	50	22.20	25.50	1.85	.
1.86	3	50	22.30	25.50	1.86	.
1.87	3	50	22.50	25.50	1.87	.
1.88	3	50	22.60	26	1.88	.
1.89	3	50	22.70	26	1.89	.
1.90	3	50	22.80	26	1.90	.
1.91	3	50	22.90	26	1.91	.
1.92	3	50	23.10	26.50	1.92	.
1.93	3	50	23.20	26.50	1.93	.



MICRO-FORET Z2 ~ 12 * D

MIKROBOHRER Z2 ~ 12 * D


MICRO DRILL BIT Z2 ~ 12 * D

D	d	L	I2	I3	REF
0 / - 0.004	h5				
1.94	3	50	23.30	26.50	1.94
1.95	3	50	23.40	26.50	1.95
1.96	3	50	23.50	27	1.96
1.97	3	50	23.70	27	1.97
1.98	3	50	23.80	27	1.98
1.99	3	50	23.90	27	1.99
2.00	3	50	24	27	2.00
2.01	3	60	24.10	27.50	2.01
2.02	3	60	24.20	27.50	2.02
2.03	3	60	24.40	27.50	2.03
2.04	3	60	24.50	27.50	2.04
2.05	3	60	24.60	28	2.05
2.06	3	60	24.70	28	2.06
2.07	3	60	24.80	28	2.07
2.08	3	60	25	28	2.08
2.09	3	60	25.10	28.50	2.09
2.10	3	60	25.20	28.50	2.10
2.11	3	60	25.30	28.50	2.11
2.12	3	60	25.40	28.50	2.12
2.13	3	60	25.60	29	2.13
2.14	3	60	25.70	29	2.14
2.15	3	60	25.80	29	2.15
2.16	3	60	25.90	29	2.16
2.17	3	60	26.10	29.50	2.17
2.18	3	60	26.20	29.50	2.18
2.19	3	60	26.30	29.50	2.19
2.20	3	60	26.40	29.50	2.20
2.21	3	60	26.50	30	2.21
2.22	3	60	26.70	30	2.22
2.23	3	60	26.80	30	2.23
2.24	3	60	26.90	30	2.24
2.25	3	60	27	30.50	2.25
2.26	3	60	27.10	30.50	2.26
2.27	3	60	27.20	30.50	2.27
2.28	3	60	27.40	30.50	2.28
2.29	3	60	27.50	31	2.29
2.30	3	60	27.60	31	2.30



EZI - SMOOTH

48401S




48401



MICRO-FORET Z2 ~ 12 * D

MIKROBOHRER Z2 ~ 12 * D

MICRO DRILL BIT Z2 ~ 12 * D



EZI - SMOOTH

D	d	L	l2	l3	REF	48401S
0 /- 0.004	h5					
2.31	3	65	27.70	31	2.31	.
2.32	3	65	27.80	31	2.32	.
2.33	3	65	28	31.50	2.33	.
2.34	3	65	28.10	31.50	2.34	.
2.35	3	65	28.20	31.50	2.35	.
2.36	3	65	28.30	31.50	2.36	.
2.37	3	65	28.40	32	2.37	.
2.38	3	65	28.60	32	2.38	.
2.39	3	65	28.70	32	2.39	.
2.40	3	65	28.80	32	2.40	.
2.41	3	65	28.90	33	2.41	.
2.42	3	65	29	33	2.42	.
2.43	3	65	29.20	33	2.43	.
2.44	3	65	29.30	33	2.44	.
2.45	3	65	29.40	33	2.45	.
2.46	3	65	29.50	33.50	2.46	.
2.47	3	65	29.60	33.50	2.47	.
2.48	3	65	29.80	33.50	2.48	.
2.49	3	65	29.90	33.50	2.49	.
2.50	3	65	30	34	2.50	.
2.51	3	65	30.10	34	2.51	.
2.52	3	65	30.20	34	2.52	.
2.53	3	65	30.40	34	2.53	.
2.54	3	65	30.50	34.50	2.54	.
2.55	3	65	30.60	34.50	2.55	.
2.56	3	65	30.70	34.50	2.56	.
2.57	3	65	30.80	34.50	2.57	.
2.58	3	65	31	35	2.58	.
2.59	3	65	31.10	35	2.59	.
2.60	3	65	31.20	35	2.60	.
2.61	3	65	31.30	35	2.61	.
2.62	3	65	31.40	35.50	2.62	.
2.63	3	65	31.60	35.50	2.63	.
2.64	3	65	31.70	35.50	2.64	.
2.65	3	65	31.80	35.50	2.65	.
2.66	3	65	31.90	36	2.66	.
2.67	3	65	32	36	2.67	.



MICRO-FORET Z2 ~ 12 * D

MIKROBOHRER Z2 ~ 12 * D

MICRO DRILL BIT Z2 ~ 12 * D

D	d	L	I2	I3	REF
0 /- 0.004	h5				
2.68	3	65	32.20	36	2.68
2.69	3	65	32.30	36	2.69
2.70	3	65	32.40	36.50	2.70
2.71	3	65	32.50	36.50	2.71
2.72	3	65	32.60	36.50	2.72
2.73	3	65	32.80	36.50	2.73
2.74	3	65	32.90	37	2.74
2.75	3	65	33	37	2.75
2.76	3	65	33.10	37	2.76
2.77	3	65	33.20	37	2.77
2.78	3	65	33.40	37.50	2.78
2.79	3	65	33.50	37.50	2.79
2.80	3	65	33.60	37.50	2.80
2.81	3	65	33.70	37.50	2.81
2.82	3	65	33.80	38	2.82
2.83	3	65	34	38	2.83
2.84	3	65	34.10	38	2.84
2.85	3	65	34.20	38	2.85
2.86	3	65	34.30	38.50	2.86
2.87	3	65	34.40	38.50	2.87
2.88	3	65	34.60	38.50	2.88
2.89	3	65	34.70	38.50	2.89
2.90	3	65	34.80	39	2.90
2.91	3	65	34.90	39	2.91
2.92	3	65	35	39	2.92
2.93	3	65	35.20	39	2.93
2.94	3	65	35.30	39.50	2.94
2.95	3	65	35.40	39.50	2.95
2.96	3	65	35.50	39.50	2.96
2.97	3	65	35.60	39.50	2.97
2.98	3	65	35.80	40	2.98
2.99	3	65	35.90	40	2.99
3.00	3	65	36	40	3.00



EZI - SMOOTH

48401S

